## **Lithium Iron Phosphate Battery**

LFELI-48200G(48V200Ah)



## **Features Of LiFePO4 Battery**


- Safe Lithium Iron Phosphate Technology
- Environmentally friendly without any heavy metals
- Safe to use low self-discharge rate
- High cycle times and long life
- High energy density and conversion efficiency
- High-performance BMS battery management system
- Easy to install, 19-inch cabinet or wall-mounted installation

## **Application Scenarios**


- Access Network Equipment
- Remote Switching Offices
- Mobile Communication Equipment
- Transmission Equipment
- Satellite Ground Stations
- Microwave Communication Equipment
- Communication field as backup power supply

Discharge Data						
Time(h)	2	4	6	10	20	
Constant Current(A)	100	50	33.3	20	10	
Constant Power(Watts)	4800	2400	1600	960	480	

## **Physical Dimension-mm**









Specification		
Model	LFELI-48200G	
Nominal Voltage	48V	
Rated Capacity(@25°C	200Ah	
Energy(@25°C,0.2C)	9600Wh	
Dimensions(W*D*H)mi	442*520*244	
Weight	Approx.75.3Kg	
Case Material	SPCC	
Terminal	M6	
LCD Screen	Yes	
IP Rating	IP30	
Design Life	≥15 years	
Cycle Life	6000 cycles	
	Charge	0~55°C
Temp. Range	Discharge	-20~60°C
	Storage	-20~60°C
	Charge	15~35℃
Recom. Temp. Range	Discharge	15~35℃
	Storage	-10~35°C
Recom.average chargi float charging voltage	54V/51.75V	
Max. Charging/ Discharge Current	100A	
Discharge Ending Volta	40.5V	
Max.number of parallel connection	15	
Communication	Parallel dual RS485, RS232/Dry contact*2	